











Not everyone loves to parallel park. But what if we designed a truck that not only helps you find the right size parking space, but also automatically steers itself in for a perfect park? The new **RANGER** offers semi-auto Active Park Assist to make city driving even easier.



Smart Keyless Entry and Push-Start Button³

Get in and out without taking your keys out of your pocket, coat, or bag. When the intelligent access system detects your key, you can get going at the push of a button.



Rear-view Camera⁴

Bollards, bicycles, low walls — the rear-view camera shows what's behind you on a screen built into the centre console. As well as revealing objects, you might miss, the system displays virtual lines to help you park into the smallest of spaces. The camera activates automatically when you select reverse gear.



Adaptive Cruise Control⁵

Forget having to turn your cruise control on and off as traffic conditions change. If traffic slows down in front of you, Adaptive Cruise Control can automatically slow down to maintain a preset distance. Once traffic clears, it returns to your cruising speed.

¹Pre-collision Assist with pedestrian detection available on Wildtrak derivatives only. ²Active Park Assist with parallel parking available on Wildtrak derivatives only. ³Smart keyless entry and push-start button available on XLT, and Wildtrak derivatives only.

⁴Rear-view camera available on XLS, XLT, and Wildtrak derivatives only. ⁵Adaptive Cruise Control available on Wildtrak derivatives only. See specification sheets.







230V/150W Power Converter*

All new **RANGER** features a 230V/150W power inverter in the back of the centre console, powering your electrical equipment wherever the job finds you.

*230V/150W power converter is available on Wildtrak derivatives only.

Note: Features differ per derivative. See specification sheets. Navigation standard on all XLT, and Wildtrak derivatives.

FORM MEETS FUNCTION





EASY LIFT TAILGATE*

You've got enough heavy lifting to do. Load your new **RANGER** with greater ease, thanks to the tailgate with lift assistance that now requires 70% less effort to close.

LANE-DEPARTURE WARNING*

By monitoring road markings, it detects if you appear to unintentionally move out of your lane. If you do, your steering wheel will vibrate to warn you. If lane-departure warning continues it will also direct you back into your lane by applying steering torque, unless your indicator is on.

8





LOADBOX LIGHTING*

A light installed in the back of the new **RANGER** pick-up gives you all the light you need to get on with the job, no matter what time of the day or night.

TYRE PRESSURE MONITORING SYSTEM*

When your tyre pressure isn't right it can compromise safety and fuel economy. The Tyre Pressure Monitoring System (TPMS) alerts you when one or more of your tyres has lost pressure.

^{*}Loadbox lighting available on XLS, XLT, and Wildtrak derivatives only.

^{*}Tyre Pressure Monitoring System available on Wildtrak derivatives only.











Towing capacity

With up to 3 500kg* towing capacity, you can confidently take on the biggest jobs. Trailer Sway Control^o provides stability and greater control when towing a trailer.

*Towing capacity figures will vary according to specific derivative. See specification sheets. Only available on Ford APPROVED towbar.

*Electronic locking rear differential not available on Base derivatives.

Take back control on steep inclines and loose surfaces

the best possible control over challenging and uneven

terrains where it can be difficult to keep both rear wheels

with electronic locking rear differential. This helps you gain

Electronic Diff Lock

on the ground.

Hill Descent Control*

The new **RANGER** 4x4's Hill Descent Control is designed to automatically apply braking, as needed, to slow the vehicle to a set speed in off-road downhill conditions. Speed can be adjusted through the accelerator and the cruise control buttons.

*Hill Descent Control available on 4x4 derivatives only.

Electronic Shift-on-the-Fly 4x4*

Choose 4x2 for regular driving, 4x4 High Range for poor road surfaces and dirt tracks and 4x4 Low Range for exceptionally challenging terrain. Using Electronic Shift-on-the-Fly you can also switch between 4x2 and 4x4 High Range, whilst on the move.

*Electronic Shift-on-the-Fly available on 4x4 derivatives only.

NEW IMPROVED DIESEL ENGINES.

BIG POWER, SMALL APPETITES.

The heart of the new **RANGER's** superior durability and strength just got an upgrade. The new **RANGER's** diesel engines deliver more than just big power numbers – they're more fuel-efficient than ever. So you can spend more time on the move and less time at the fuel pump.

BI-TURBO DIESEL

157kW / 500Nm

4-Cylinder Diesel Engine

The innovative Bi-Turbo diesel engine's two turbos work sequentially to deliver huge power and torque, combined with a state-of-the-art 10-speed auto transmission.



SINGLE-TURBO

132kW / 420Nm

4-Cylinder Diesel Engine

Not only does the Single-Turbo diesel engine deliver strong performance lower down the rev range, the 10-speed automatic transmission also helps improve fuel efficiency.

3.2LTDCI

147kW / 470Nm

5-Cylinder Diesel Engine

The tried, tested and trusty workhorse that has capably delivered seamless torque to thousands of **RANGER's.**

2.2L TDCI

118kW / 385Nm

4-Cylinder Diesel Engine

The economic choice, this engine will provide thrifty service for years.

Computer-generated image. Features differ per derivative. See specification sheets.

MAKE IT YOURS.

Complementing the new **RANGER**'s stylish design, and satisfying your personal taste, is a range of attractive colours.

Colours - RANGER







Colorado Red



Moondust Silver



Sea Grey (Metallic*)



Copper Red



Diffused Silver



Absolute Black (Metallic*)

Colours - WILDTRAK



Moondust Silver





Sea Grey (Metallic*)





Absolute Black



Saber (Metallic*)

*Metallic body colours are options at extra cost.

Note: The images are used to illustrate body colours only, and may not reflect the vehicle described. Colours and trims reproduced within this brochure may vary from the actual colours, due to the limitations of the printing processes used.

Wheels



16" Steel wheel



16" Alloy wheel also available as an option on XL derivatives, at an additional cost.



17" Alloy wheel available in Silver, and Black as an option on XLS, and XLT derivatives, at an additional cost, Also available in Black only as an option on XL.



18" Allov wheel available on Wildtrak only.



FORD **CREDIT**

As part of the Ford family, Ford CREDIT can offer a number of unique finance options to make owning a new or used vehicle affordable and simple. For more information regarding Ford CREDIT, speak to your Ford Dealer or go to www.ford.co.za/buying/ford-credit/home.



FORD **PROTECT**

Genuine parts. Genuine service.

Enjoy years of trouble-free motoring and preserve the value of your new Ford by fitting only genuine Ford parts and accessories. Servicing your new Ford at a Ford Dealer will also protect you and your vehicle warranty.



Business and Commercial Fleet Customers.

The Ford portfolio of products is growing rapidly to meet your business needs.

Please contact your local Ford Dealer for more information or visit our website at www.ford.co.za/fleet or alternatively email us at fleetsa@ford.com.

Ford **PROTECT**

Ford **PROTECT** offers a holistic suite of service, maintenance, warranty and roadside-assistance products aimed at keeping your new **RANGER** in perfect working condition.

New Vehicle Warranty – Every new RANGER comes with a 4-yr/120 000km Comprehensive Warranty.

Service Plan¹ – Every new RANGER comes standard with a 6-yr/90 000km Service Plan, which covers all scheduled servicing except friction materials, i.e. brake pads and wiper blades.

Corrosion Warranty - Cover lasts for 5-yr/unlimited km.

Roadside Assistance – Cover lasts for 3-yr/unlimited km for mechanical, electrical, flat tyres, batteries, medical emergencies and towing, if needed, to the nearest Ford dealership.

New Vehicle Extended Warranty – An Extended Warranty may be purchased prior to the expiry of the 4-yr/120 000km New Vehicle Warranty. You have many coverage, time and kilometre choices, ranging from 7 years to 200 000km from the date of sale.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford PROTECT plans and products.

All new **RANGER** derivatives purchased after 1 April 2018 will have service intervals as 12 months/15 000km, whichever comes first. **RANGER** derivatives purchased prior will have service intervals of 12 months/20 000km, whichever comes first.

The declared fuel consumption and CO₂ emissions figures were achieved during technical laboratory testing in accordance with the legislated technical specifications (SANS 20101: 2006/ECE R101: 2005 as last amended) and validated and approved by the UK Vehicle Certification Authority (VCA). Fuel consumption and CO₂ emissions figures are used to compare different vehicle types under uniform conditions, and are not necessarily indicative of real-life driving conditions. Note that the actual fuel consumption and emissions levels will depend on many factors and are directly affected by the length of the journey; number of passengers and the amount of luggage carried; individual driving style; road conditions; weather conditions; vehicle age, mileage, condition and standard of maintenance; use of vehicle features such as air conditioning; and any modifications to the vehicle. Your fuel economy will vary based on these and other factors and, for these reasons, many drivers may not achieve the EU fuel economy figures in day-to-day driving, although the vehicle is technically capable of doing so.



Quality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully too.



Green

Using advanced Ford technology, we're committed to creating vehicles with improved fuel economy, reduced CO₂ emissions and a lower overall cost of ownership.



Safe

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to protect you.



Smart

Vehicles with smart intuitive technologies designed to connect your world, and many clever solutions from Ford that make life a little easier.

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specifications either temporarily or permanently, which will be communicated to the Ford Dealer Network. Printed July 2019.







				SING	LE CAB			
	2.2 TDCi 4x2 Base Low-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider
Engine								
Power: kW @ rpm	88 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	147 @ 3 000	147 @ 3 000
Torque: Nm @ rpm	285 @ 1500 - 2300	385 @ 1500 - 2 500	385 @ 1500 - 2500	385 @ 1500 - 2500	385 @ 1500 - 2500	385 @ 1500 - 2500	470 @ 1500 – 2750	470 @ 1500 - 2750
Transmission	2300	2300	2500	2300	2500	2500	2,33	2750
Туре	5-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatio
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	-	-	Std	Std	-	-	Std
Vehicle Capabilities								
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	-	-	Std	Std	-	-	Std
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std	Std
Rollover Mitigation	-	Std	Std	Std	Std	Std	Std	Std
Adaptive Load Control	-	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	-	Std	Std	Std	Std	Std	Std	Std
Traction control	-	Std	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std
Exterior								
Tailgate lock	Manual	Power	Power	Power	Power	Power	Power	Power
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std	Std
Rain-sensing wipers	-	-	-	-	Std	Std	Std	Std
Power windows with driver one-touch up/down function (with anti-pinch)	-	Std	Std	Std	Std	Std	Std	Std
Exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std	Std
XLS Appearance Pack*	-	-	-	-	Opt	Opt	Opt	Opt
Exterior Lighting								
Auto-on/off headlamps	-	-	-	-	Std	Std	Std	Std
Front fog lamps	-	-	-	-	Std	Std	Std	Std
Rear fog lamp	-	-	-	-	Std	Std	Std	Std
Interior								
Manual air conditioning	Std	Std	Std	Std	Std	Std	Std	Std
Radio with 2 speakers, Bluetooth®, USB	Std	Std	Std	Std	-	-	-	-
Ford SYNC® with 4 speakers, CD, USB, Aux, MP3, Bluetooth®, 4.2 colour TFT screen	-	Opt	Opt	Opt	Std	Std	Std	Std
Cruise control	-	-	-	-	Std	Std	Std	Std
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std	Std
Sun visor – driver with ticket holder & passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std	Std
Electrochromatic rear-view mirror	-	_	-	-	Std	Std	Std	Std
Vinyl floor covering	Opt	-	-	-	-	-	-	-
Seats								
Bench seat – 60:40	Opt	-	-	-	-	-	-	-
2 separate bucket seats – driver & passenger	Opt	Std	Std	Std	Std	Std	Std	Std
2-way manually adjustable – driver bucket seat	Std	Std	Std	Std	-	-	-	-
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	Std	Std	Std	Std
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std	Std



				SINGL	_E CAB			
	2.2 TDCi 4x2 Base Low-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider
Safety & Security								
Power door locks (central locking/unlocking)	Std	Std	Std	Std	Std	Std	Std	Std
Remote control entry with 2-stage unlocking and flip key	-	Std	Std	Std	Std	Std	Std	Std
Driver & passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std
Belt-minder	Driver	Driver	Driver	Driver	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Rear parking distance sensors	-	-	-	-	Std	Std	Std	Std
Rear-view parking camera	-	-	-	-	Std	Std	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std	Std
Mechanical								
Wheels & Tyres								
16x7" Steel wheel	Std	Std	Std	Std	-	-	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	Std	Std	Std	Std
17x8" Alloy wheel	-	-	-	-	Opt	Opt	Opt	Opt
17x8" Cast Alloy wheel – Panther Black	_	-	-	-	Opt	Opt	Opt	Opt
Towing		'			'			
Towbar	-	Std	Std	Std	Std	Std	Std	Std
Dimensions & Weights								
Towing mass (braked) (kg)	1500	3 500	3 500	3 500	3 500	3 500	3 500	3 500
Fuel tank capacity (L)	80	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	2 925	3 200	3 200	3 2 0 0	3 200	3 2 0 0	3 200	3 200
Gross Combination Mass (GCM) (kg)	4 425	6 000	6 000	6 000	6 000	6 000	6 000	6 000
Tare mass (kg)	1728	1939	1920	2 019	2 041	1924	1924	2 045
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	1052	1116	1135	1036	1 014	1131	1131	1 010
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354
Overall height (mm)	1703	1806	1806	1806	1806	1806	1806	1806
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3 220	3 220	3 220	3 2 2 0	3 220	3 220	3 220	3220
Cargo floor length (mm)	2 317	2 317	2 317	2 317	2 317	2 317	2 317	2 317
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511	511
Ground clearance (mm) (fully loaded)	135	237	237	237	237	237	237	237
Wading depth (mm)	600	800	800	800	800	800	800	800



	2.2 TDCi 4x2	2.2 TDCi 4x2	2.2 TDCi 4x4	2.2 TDCi 4x2	SUPER CAB 2.2TDCi4x2	2.2 TDCi 4x4	3.2 TDCi 4x2	3.2 TDCi 4x4	3.2 TDCi 4x4
	Base Hi-Rider	XL Hi-Rider	XL Hi-Rider	XL Hi-Rider	XLS Hi-Rider	XLS Hi-Rider	XLS Hi-Rider	XLS Hi-Rider	XLT Hi-Rider
Engine									
Power: kW @ rpm	88@3700	118 @ 3700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	147@3000	147 @ 3 000	147@3000
Torque: Nm @ rpm	285 @1500 - 2300	385@1500 – 2500	385 @ 1500 – 2 500	385@1500 – 2500	385@1500 – 2500	385@1500 – 2500	470 @ 1500 – 2750	470 @1500 - 2750	470 @ 1500 – 2750
Transmission									
Туре	5-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	-	Std	-	-	Std	-	Std	Std
Vehicle Capabilities									
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	-	Std	-	-	Std	-	Std	Std
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std	Std	Std
Rollover Mitigation	-	Std	Std	Std	Std	Std	Std	Std	Std
Adaptive Load Control	-	Std	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	-	Std	Std	Std	Std	Std	Std	Std	Std
Traction control	-	Std	Std	Std	Std	Std	Std	Std	Std
ESP brake system	-	Std	Std	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Exterior									
Exterior Trim									
Plastic side steps	-	-	-	-	Std	Std	Std	Std	Std
Tailgate lock	Manual	Manual	Manual	Manual	Power	Power	Power	Power	Power
Tailgate with lift assistance	-	-	-	-	-	-	-	-	Std
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std	Std	-
Rain-sensing wipers	-	-	-	-	Std	Std	Std	Std	Std
Front power windows with driver one-touch up/down (with anti-pinch)	-	Std	Std	Std	Std	Std	Std	Std	Std
Exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std	Std	-
Exterior mirrors – power-adjustable, power- fold, turn indicator	-	-	-	-	-	-	-	-	Std
Exterior Lighting									
Auto-on/off headlamps	-	-	-	-	Std	Std	Std	Std	Std
Daytime running lights	-	Std	Std	Std	Std	Std	Std	Std	Std
High-mounted brake lamp with loadbox lighting	-	-	-	-	Std	Std	Std	Std	Std
XLS Appearance Pack*	-	-	-	-	Opt	Opt	Opt	Opt	-
Interior									
Manual air conditioning	Std	Std	Std	Std	Std	Std	Std	Std	-
Dual-zone Electronic Automatic Temperature Control (DEATC)	-	-	-	-	-	-	-	-	Std
Radio with 2 speakers, Bluetooth®, USB	Std				-	-	-	-	-
Radio with 4 speakers, Bluetooth®, USB	-	Std	Std	Std	-	-	-	-	-
Ford SYNC® with 6 speakers, CD, USB, Aux, MP3, Bluetooth®, 4.2 colour TFT screen	-	Opt	Opt	Opt	Std	Std	Std	Std	-
Ford SYNC® 3 with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen & 2x 4.2" TFT screens in cluster & Navigation	-	-	•	-	-	-	-		Std
4-spoke leather steering wheel with multifunctional buttons	-	-	-	-	-	-	-	-	Std
Cruise control	-	-	-	-	Std	Std	Std	Std	Std
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std	Std	Std
12V power point plug – rear console	-	Std	Std	Std	Std	Std	Std	Std	Std
Cooled centre console	-	-	-	-	-	-	-	-	Std
Sun visor – driver with ticket holder & passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std	Std	-
Sun visor – driver & passenger with ticket holder & illuminated vanity mirror, sliding rod	-	-	-	-	-	-	-	-	Std
Electrochromatic rear-view mirror	-	-	-	-	Std	Std	Std	Std	Std



					SUPER CAB				
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider
Interior (cont.)	Dabe III Kidel	XETH RIGHT	ALTH Maci	XETH RIGGI	XLS III Kidei	ALSTII Maci	ALSTII RIGE!	ALD TH THOU	XEI III RIGGI
Seats									
2-way manually adjustable – driver bucket seat	Std	Std	Std	Std	-	-	-	-	-
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	Std	Std	Std	Std	Std
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std	Std	-
Seat material – leather*	-	-	-	-	-	-	-	-	Std
Rear floor storage	Std	Std	Std	Std	Std	Std	Std	Std	Std
Safety & Security									
Power door locks (central locking/unlocking)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Keyless entry & push-button start	-	-	-	-	-	-	-	-	Std
Driver & passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std	Std
Side airbags (thorax only)	-	-	-	-	Std	Std	Std	Std	Std
Curtain airbags	-	-	-	-	Std	Std	Std	Std	Std
Inflatable knee airbag	-	-	-	-	-	-	-	-	Std
Belt-minder	Driver	Driver	Driver	Driver	Driver & Passenger				
Rear parking distance sensors	-	-	-	-	Std	Std	Std	Std	Std
Front parking distance sensors	-	-	-	-	-	-	-	-	Std
Rear-view parking camera	-	-	-	-	Std	Std	Std	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std	Std	Std
Mechanical									
Wheels & Tyres									
16x7" Steel wheel	Std	Std	Std	Std	-	-	-	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	Std	Std	Std	Std	-
17x8" Alloy wheel	-	-	-	-	Opt	Opt	Opt	Opt	Std
17x8" Cast Alloy wheel – Panther Black	-	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Steering									
Electric Power-Assisted Steering (EPAS)	-	Std	Std	Std	Std	Std	Std	Std	Std
Towbar	-	Std	Std	Std	Std	Std	Std	Std	Std
Dimensions & Weights									
Towing mass (braked) (kg)	1500	3500	3500	3 500	3500	3 500	3 500	3500	3500
Fuel tank capacity (L)	80	80	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	3 025	3200	3 200	3200	3 200	3200	3 200	3200	3 200
Gross Combination Mass (GCM) (kg)	4 525	6 000	6 000	6000	6 000	6 0 0 0	6000	6000	6 000
Tare mass (kg)	1835	1984	2 062	1962	1984	2105	1924	1856	2 200
Payload (kg) (passenger weight (65kg) and fuel weight (80L) removed)	1045	1 071	993	1093	1071	950	1131	1199	855
Overall length (mm)	5 3 5 4	5 354	5 3 5 4	5 354	5 354	5 3 5 4	5 3 5 4	5 354	5 354
Overall height (mm)	1810	1 810	1810	1810	1810	1810	1810	1810	1810
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3 220	3 220	3 220	3 2 2 0	3220	3 2 2 0	3 220	3 220	3 220
Cargo floor length (mm)	1847	1847	1847	1847	1847	1847	1847	1847	1847
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511	511	511
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800	800	800

 $[\]hbox{*Leather seats are a combination of leather and high-quality, durable materials.}$

				DOUBLE CAB			
·	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider
Engine							
Power: kW @ rpm	88@3700	118 @ 3 700	118 @ 3700	118 @ 3 700	118 @ 3700	118 @ 3 700	118 @ 3 700
Torque: Nm @ rpm	285 @	385 @	385@	385@	385@	385@	385@
	1500 – 2300	1500 – 2500	1500 – 2500	1500 – 2500	1500-2500	1500 – 2500	1500-2500
Transmission							
Type	5-speed Manual	6-speed Automatic	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Manual
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	-	Std	-	Std	Std	-
Vehicle Capabilities		611	G1.1	611	5 1.1	G) I	61.1
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	-	Std	-	Std	Std	-
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std
Rollover Mitigation	-	Std	Std	Std	Std	Std	Std
Adaptive Load Control	-	Std Std	Std	Std	Std	Std	Std
Trailer Sway Control Traction control	-		Std	Std	Std	Std	Std
ESP brake system	-	Std Std	Std Std	Std Std	Std Std	Std Std	Std Std
Anti-lock Braking System (ABS) with Electronic Brakeforce	Std	Std	Std	Std	Std	Std	Std
Distribution (EBD)	Stu	310	Stu	Sta	Ju	Std	Stu
Exterior							
Side steps	-	-	-	-	-	Std	Std
Tailgate lock	Manual	Manual	Manual	Manual	Manual	Power	Power
Innertie-downs	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std
Spray-in bedliner	Opt -	Opt -	Opt -	Opt -	Opt	Opt	Opt
Rain-sensing wipers	-	-	-	-	-	Std	Std
Front power and rear windows with driver one-touch up/down function (with anti-pinch)	-	Std	Std	Std	Std	Std	Std
Exterior mirrors – manually adjustable	Std	-	-	-	-	-	-
Exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std
Auto-on/off headlamps	-	Opt	Opt	Opt	Opt	Std	Std
Front fog lamps	-	-	-	-	-	Std	Std
Manual front headlamp levelling	-	Std	Std	Std	Std	Std	Std
Daytime running lights	-	Std	Std	Std	Std	Std	Std
Rear fog lamp	-	-	-	-	-	Std	Std
XLS Appearance Pack*	-	-	-	-	-	Opt	Opt
Interior							
Manual air conditioning	Std	Std	Std	Std	Std	Std	Std
Radio with 2 speakers, Bluetooth®, USB	Std	-	-	-	-	-	-
Radio with 4 speakers, Bluetooth®, USB	-	Std	Std	Std	Std	-	-
Ford SYNC® with 6 speakers, CD, USB, Aux, MP3, Bluetooth®, 4.2" colour TFT screen	-	Opt	Opt	Opt	Opt	Std	Std
Cruise control	-	-	-	-	-	Std	Std
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std
12V power point plug – rear console	-	Std	Std	Std	Std	Std	Std
Sun visor – driver with ticket holder and passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std
Electrochromatic rear-view mirror	-	-	-	-	-	Std	Std
Seats							
2 separate bucket seats – driver and passenger	Std	Std	Std	Std	Std	Std	Std
2-way manually adjustable – driver bucket seat	Std	Std	Std	Std	Std	-	



		DOUBLE CAB										
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider					
Interior (cont.)												
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	-	Std	Std					
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std					
Rear underseat storage	Std	Std	Std	Std	Std	Std	Std					
Safety & Security												
Childproof rear door locks	Std	Std	Std	Std	Std	Std	Std					
ISOFIX seats	Std	Std	Std	Std	Std	Std	Std					
Driver and passenger airbag	Std	Std	Std	Std	Std	Std	Std					
Side airbags (thorax only)	-	-	-	-	-	Std	Std					
Curtain airbags	_	_	_	-	_	Std	Std					
Rear parking distance sensors	-	Opt	Opt	Opt	Opt	Std	Std					
Rear-view parking camera	-	-	-	-	-	Std	Std					
Volumetric burglar alarm system	_	Std	Std	Std	Std	Std	Std					
Mechanical												
Wheels & Tyres												
16x7" Steel wheel	Std	Std	Std	Std	Std	-	-					
16x7" Alloy wheel	-	Opt	Opt	Opt	Opt	Std	Std					
17x8" Alloy wheel	-	-	-	-	-	Opt	Opt					
17x8" Cast Alloy wheel – Panther Black	-	Opt	Opt	Opt	Opt	Opt	Opt					
Towing												
Towbar	-	Std	Std	Std	Std	Std	Std					
Dimensions & Weights												
Towing mass (braked) (kg)	1500	3 500	3500	3500	3500	3500	3500					
Fuel tank capacity (L)	80	80	80	80	80	80	80					
Gross Vehicle Mass (GVM) (kg)	3 025	3200	3200	3 200	3200	3200	3 2 0 0					
Gross Combination Mass (GCM) (kg)	4 525	6 000	6 000	6 000	6 0 0 0	6 000	6 000					
Tare mass (kg)	1849	2 031	2130	2 012	2 012	2155	2 200					
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	1031	1024	925	1043	1043	900	855					
Overall length (mm)	5 354	5 354	5 354	5 354	5 3 5 4	5 354	5 354					
Overall height (mm)	1851	1851	1851	1851	1851	1851	1851					
Overall width (incl. outer mirror)	2163	2163	2163	2163	2163	2163	2163					
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860					
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3 220					
Cargo floor length (mm)	1549	1549	1549	1549	1549	1549	1549					
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560					
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139					
Cargo depth (mm)	511	511	511	511	511	511	511					
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237					
Wading depth (mm)	800	800	800	800	800	800	800					



					DOUBLE CAE	3				
	2.0 SiT 4x2 XLT Hi-Rider	2.0 SiT 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 BiT 4x2 Wildtrak Hi-Rider	2.0 BiT 4x4 Wildtrak Hi-Rider	2.0 BiT 4x4 RAPTOR Hi-Rider
Engine										
Power: kW @ rpm	132 @ 3 500	132 @ 3 500	147 @ 3 000	147 @ 3 000	147 @ 3 000	147 @ 3 000	147 @ 3 000	157 @ 3 750	157 @ 3 750	157 @ 3 750
Torque: Nm @ rpm	420 @ 1750 – 2 500	420 @ 1750 –2 500	470 @ 1500 –2750	500 @ 1500 –2 000	500 @ 1500 –2 000	500 @ 1500 –2 000				
Transmission										
Туре	10-speed Automatic	10-speed Automatic	6-speed Automatic	6-speed Automatic	6-speed Manual	6-speed Manual	б-speed Automatic	10-speed Automatic	10-speed Automatic	10-speed Automatic
Electronic locking rear differential	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	Std	-	Std	-	Std	-	-	Std	-
Vehicle Capabilities		310		314		310			310	
Electronic Stability Programme (ESP)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control	- Stu	Std	- Stu	Std	- Jiu	Std	Siu -	- Siu	Std	Std
Hill Launch Assist		Std		Std	Std	Std	C+4		Std	Std
	Std		Std				Std	Std		
Rollover Mitigation	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Adaptive Load Control	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Traction control	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
ESP brake system	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Active Park Assist – parallel parking	-	-	-	-	-	-	Std	Std	Std	-
Towbar	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Exterior										
Side steps	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Tailgate lock	Power	Power	Power	Power	Power	Power	Power	Power	Power	Power
Tailgate with lift assistance	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Body & Box Elements										
Wildtrak cargo area management system with side rails	-	-	-	-	-	-	Std	Std	Std	-
Drop-in bedliner with 12V power point							Std	Std	Std	Std
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Spray-in bedliner	Opt	Opt	Opt	Opt	Opt	Opt	-	-	-	-
Windows & Mirrors										
Rain-sensing wipers	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Window Operation	Stu	310	Stu	510	310	Stu	Stu	Stu	310	Sta
Front power and rear windows with driver one-touch up/down function (with anti-pinch)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Exterior – Mirrors (Driver & Front Passenger)							1			1
Exterior mirrors – power-adjustable, power-fold, turn indicator	Std	Std	Std	Std	Std	Std	-	-	-	-
Exterior mirrors – power-adjustable, power- fold, heated, puddle lamp, turn indicator	-	-	-	-	-	-	Std	Std	Std	Std
Exterior Lighting										
Auto-on/off headlamps	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Projector headlamps	Std	Std	Std	Std	Std	Std	-	-	-	-
High-intensity discharge headlamp	-	-	-	-	-	-	Std	Std	Std	Std
Front fog lamps	Std	Std	Std	Std	Std	Std	-	-	-	-
Front fog lamps – LED	-	-	-	-	-	-	Std	Std	Std	Std
Manual front headlamp levelling	Std	Std	Std	Std	Std	Std	Std	Std	Std	-
Daytime running lights	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Rear fog lamp	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
High-mounted stop lamp with loadbox lighting	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std



		DOUBLE CAB										
	2.0 SiT 4x2 XLT Hi-Rider	2.0 SiT 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 BiT 4x2 Wildtrak Hi-Rider	2.0 BiT 4x4 Wildtrak Hi-Rider	2.0 BiT 4x4 RAPTOR Hi-Rider		
Interior												
Climate Control												
Dual-zone Electronic Automatic Temperature Control	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Audio/Media												
Ford SYNC®3 with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen & 2x 4.2" TFT screens in cluster & Navigation	Std	Std	Std	Std	Std	Std	Std	Std	Std	-		
Instrument Panel, Cockpit & Controls												
4-spoke leather steering wheel with multi- functional buttons	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Cruise control Adaptive Cruise Control: - Heads-up display - Forward Collision Warning	Std	Std	Std	Std	Std	Std	Std	Std	Std	-		
Distance alert Autonomous emergency braking Lane-keeping Aid Driver Alert System Auto high-beam control	•	·	-	-	-	-	Std	Std	Std	-		
12V power point plug – front & rear console	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
12V power point plug – loadbox	-	-	-	-	-	-	Std	Std	Std	Std		
230V/150W power converter	-	-	-	-	-	-	Std	Std	Std	Std		
Cooled centre console	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Roof Trim												
Sun visor – driver and passenger with ticket holder and illuminated vanity mirror, sliding rod	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Floor Trim												
Wildtrak front & rear carpet mats	-	-	-	-	-	-	Std	Std	Std	-		
Seats												
Driver's seat – 4-way manually adjustable with lumbar support adjustment	Std	Std	Std	Std	Std	Std	-	-	-	-		
Driver's seat – 8-way power-adjustable with lumbar support adjustment	-	-	-	-	-	-	Std	Std	Std	Std		
Heated seats – driver & passenger	-	-	-	-	-	-	Std	Std	Std	Std		
Seat material – leather*	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Mirrors												
Electrochromatic rear-view mirror	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Stowage												
Rear underseat storage	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		



	DOUBLE CAB											
	2.0 SiT 4x2 XLT Hi-Rider	2.0 SiT 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 BiT 4x2 Wildtrak Hi-Rider	2.0 BiT 4x4 Wildtrak Hi-Rider	2.0 BiT 4x4 RAPTOR Hi-Rider		
Safety & Security												
Keyless entry & push-button start	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Childproof rear door locks	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
ISOFIX seats	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Driver and passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Side airbags (thorax only)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Curtain airbags	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Inflatable knee airbag	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Front parking sensors	Std	Std	Std	Std	Std	Std	Std	Std	Std	-		
Rear parking sensors	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Rear-view parking camera	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Volumetric burglar alarm system	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Mechanical												
General												
Tyre Pressure Monitoring System (TPMS)	-	-	-	-	-	-	Std	Std	Std	-		
Wheels & Tyres												
17x8" Alloy wheel	Std	Std	Std	Std	Std	Std	-	-	-	Std		
17x8" Cast Alloy wheel – Panther Black	Opt	Opt	Opt	Opt	Opt	Opt	-	-	-	-		
18" Alloy wheel	-	-	-	-	-	-	Std	Std	Std	_		
Dimensions & Weights												
Towing mass (braked) (kg)	3 500	3 500	3 500	3 500	3 500	3 500	3 500	3 500	3 500	2 500		
Fuel tank capacity (L)	80	80	80	80	80	80	80	80	80	80		
Gross Vehicle Mass (GVM) (kg)	3 200	3 2 0 0	3 200	3 200	3 200	3 200	3 200	3 200	3 200	3 090		
Gross Combination Mass (GCM) (kg)	6 000	6 000	6 0 0 0	6 000	6 000	6 000	6 000	6 000	6 000	5 350		
Tare mass (kg)	2142	2 044	2116	2 214	2 062	2 159	2 131	2 098	2 195	2 338		
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	913	1011	939	841	993	896	924	957	860	758		
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 398		
Overall height (mm)	1851	1851	1851	1851	1851	1851	1 851	1851	1851	1873		
Overall width (incl. outer mirror)	2163	2163	2163	2163	2 163	2 163	2 163	2163	2163	2 180		
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860	1860	1860	2 028		
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3 220		
Cargo floor length (mm)	1549	1549	1549	1549	1549	1549	1549	1549	1549	1743		
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560		
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139	1139	1139	1139		
Cargo depth (mm)	511	511	511	511	511	511	511	511	511	561		
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237	237	237	283		
Wading depth (mm)	800	800	800	800	800	800	800	800	800	850		

